

CLASS 1

Building Product Information Sheet

Product name:

Pine Products NZ Radiata H4 TGV Retaining

Product description and its intended use:

Pine Products NZ Radiata H4 TGV Retaining

Intended use: Retaining

Available Sizes: 150 x 50mm x 4.8m, 6m
200 x 50mm x 4.8m, 6m

Product Identifiers in order above: RW1505048, RW1505060
RW2005048, RW2005060

Species RADIATA PINE
Grade No2
Treatment H4

Features

Place of manufacture: Aotearoa New Zealand

Legal and trading name of the manufacturer(s):

Pine Products Limited

Address for service:

780 Halswell Junction Road, Hornby South
Christchurch, New Zealand 8042

Website: www.pineproducts.co.nz

Email: sales@pineproducts.co.nz

Phone: 12 349 9328 ext 730

NZBN: 9429038987663

Relevant Building Code clauses:

Building Code clause F4 – Safety from falling

Statement on how the building product is expected to contribute to compliance:

Building Code clause F4 – Safety from falling - When used for the intention of retaining greater than 1.0m
The durability of preservative treated wooden construction poles of Radiata pine is verified by processes and methods stated in AS/NZS1604.2021 Preservative treated wood-based products.

Limitations on the use of the building product:

Where treated to H4 of AS/NZS1604.2021 Preservative treated wood-based products these products should not be used in structures that will be exposed to the marine environment such as in wharf and jetty piles in salt water and for walkway or bridge pilings across estuarine ground. In such cases the required hazard class is H6.

Design requirements that would support the use of the building product:

Where used in ground retaining applications the design requirements are as set out in NZS/AS1720 (This is a non structural verified product).

Installation requirements:

When used in Restricted Building Work as defined in the Building (Definition of Restricted Building Work) Order 2011 must be installed by a Licensed Building Practitioner with appropriate certification.

Maintenance requirements:

Seal all cut end grains to ensure longevity

Is the building product/building product line subject to warning or ban under section 26?:

No

If yes, description of the warning or ban under section 26:

N/A

Date: 4/11/2023